ANN SAVENDER\*
ANNE GODDWIN CRUMP\*
VINCENT J. CURTIS, JR.
PAUL J. PELDMAN\*
ERIC PISMAM\*
RICHARD HILDRETH
EDWARD W. HUMMERS, JR.
FRANK R. JAZZO
CHARLES H. KENNEDY\*
KATHRYN A. KLEMAN
BARRY LAMBERGMAN
PATRICIA A. MAHONEY
M. VERONICA PASTOR\*
GEORGE PETRUTSAS
LEONARD R. RAISH
JAMES P. RILEY
MARVIN ROSENBERG
KATHLEEN VICTORY\*
HOWARD M. WEISS

\*NOT ADMITTED IN VIRGINIA

## FLETCHER, HEALD & HILDRETH, P.L.C.

ATTORNEYS AT LAW

11th FLOOR, 1300 NORTH 17th STREET

ROSSLYN, VIRGÍNIA 22209

(703) 812-0400

TELECOPIER (703) 812-0486

INTERNET

HILDRETH@ATTMAIL.COM

RECEIVED

FEB = 9 100c

PEDERAL COMMUNICATION OFFICE OF SECRETARY

(703) 812-

ROBERT L. HEALD (1956-1983) PAUL D.P. SPEARMAN

(1936-1962) FRANK ROBERSON

(1936-1961)

RETIRED

RUSSELL ROWELL

EDWARD F. KENEHAN FRANK U. FLETCHER

OF COUNSEL

EDWARD A. CAINE®

WRITER'S NUMBER

February 9, 1995

DOCKET FILE COPY ORIGINAL

DOCKE FALL CUPY DEIGNAL

Mr. William F. Caton Acting Secretary Federal Communications Commission 1919 M Street, N.W. - Room 222 Washington, D.C. 20554

Re: Amendment of Parts 2, 21 and 94 of the Communication's Rules Concerning Channel Assignments in the 27.5-29.5 GHz Band. Joint Petition for Rulemaking

Dear Mr. Caton:

On behalf of the Harris Corporation-Farinon Division and the Digital Microwave Corporation, we are filing their Joint Petition for Rulemaking, referenced above. An original and fourteen (14) copies are provided. Since the petition is related to the rulemaking proceeding in CC Docket 92-297, we are providing two extra copies to be associated with the Commission's files in that proceeding.

If additional information is needed, the Commission's staff is requested to communicate with us.

Very truly yours,

FLETCHER, HEALD & HILDRETH, P.L.C.

Teonard R. Pauslo

Leonard R. Raish

Counsel for Harris Corporation-Farinon Division

Digital Microwave Corporation

LRR:cej Enclosures

No. of Copies rec'd List ABCDE

**BEFORE THE** 

PIGHAL.

## Federal Communications Commission

WASHINGTON, D.C. 20554

			RECEIVED
			IFEB = 9 1995
In the Matter of	)		OFFICE OF MALES AND
Amendment of Parts 2, 21 and 94	<u> </u>	RM -	ालकर च ०३ <b>स्</b> डबह
of the Commission's Rules	)		
Concerning Channel Assignments	)		Bonton
in the 27.5-29.5 GHz Band	)		DOCKET FILL CLEY CHIGINAL
To: The Commission			DOCKET FILE COPY ORIGINAL

# JOINT PETITION FOR RULEMAKING BY HARRIS CORPORATION-FARINON DIVISION AND DIGITAL MICROWAVE CORPORATION PETITION FOR RULEMAKING

The Harris Corporation -- Farinon Division ("Harris") and the Digital Microwave Corporation ("DMC")(collectively "Harris/DMC") by their attorneys, hereby petition the Commission, pursuant to Section 1.401 of the Commission's Rules, to amend Parts 2, 21 and 94 of the Rules to adopt a channelization plan for the 27.50-29.50 GHz band (the "28 GHz band") and to make that band available for assignment under Part 94 in addition to Part 21. In support whereof, the following is shown.

#### I. INTRODUCTION

Harris is a Florida corporation with its headquarters located in Melbourne, Florida. Through its Farinon Division, located in San Carlos, California, Harris designs, develops and manufactures

<sup>&</sup>lt;sup>1</sup>The Commission has proposed in WT Docket 94-148 to merge Part 94 and most of Part 21 into a new rule Part, Part 101. If the Commission adopts proposed Part 101, the 28 GHz band should be incorporated into Subparts H and J of the new Part.

microwave and multiplex systems used by licensees in the terrestrial fixed microwave service.

DMC is a California corporation with its headquarters in San Jose, California. DMC designs, develops, and manufacturers digital microwave radio equipment likewise used in the terrestrial fixed microwave service.

Both Harris and DMC are among the largest suppliers of microwave equipments in the global market. As leading manufacturers of equipment used in the terrestrial fixed services, Harris/DMC are interested in advancing the state-of-the-art in microwave technology and in maximization of use of those frequency bands available for the terrestrial fixed microwave services.

#### II. BACKGROUND

On April 19, 1991, Harris petitioned the Commission to adopt a channelization plan for the "28 GHz" band and to make that band available for assignment under Part 94 in addition to Part 21 of its Rules. The Harris petition was designated RM-7722. On June 17, 1991, DMC filed comments in support of the Harris petition.

On January 8, 1993, the Commission released a Notice of Proposed Rulemaking, Order, Tentative Decision and Order on Reconsideration in CC Docket 92-297. Consideration of RM-7722 was included in that Notice. The Notice tentatively concluded "that the 28 GHz band should be redesignated to accommodate multipoint technology" and proposed Rules "designed to foster the provision of innovative services."

On February 11, 1994, the Commission released its <u>Second Notice of Proposed Rulemaking</u> in CC Docket No. 92-297 that led to the establishment of the LMDS/FSS 28 GHz Band Negotiated Rulemaking Committee in July 1994. The Committee issued its <u>Report</u> to the Commission on September 23, 1994. A representative of both Harris and DMC was on the Negotiated Rulemaking

Committee to speak for the terrestrial fixed microwave interests. The aforementioned September 23, Report includes in its Addenda two statements by Harris/DMC that inter alia addresses the subject of the "traditional" terrestrial microwave service in the 27.5-29.5 GHz bands. These statements were submitted because the Negotiated Rulemaking Committee addressed only the sharing of the 27.5-29.5 GHz band by the LMDS and FSS and had no time left to discuss the details of an eventual FSS/microwave sharing of the band.

# III. ORIGINAL HARRIS PETITION HAS BEEN OVERTAKEN BY EVENTS

The April 19, 1991 Harris petition is technically still pending as the above referenced Commission action dated January 8, 1993 was tentative. However, over the ensuing nearly four years the future of the 27.5-29.5 GHz has been debated extensively. Harris/DMC therefore submits this new Petition for Rulemaking that is based on the current fact situation. Upon acceptance of this petition by the Commission, the April 19, 1991 can be regarded as withdrawn.

## IV. STILL NEED FOR CHANNELLING 27.5-29.5 GHZ BAND TO ALLOW FOR "TRADITIONAL" FIXED MICROWAVE

In its April 1991 petition, Harris specifically stated that, in the absence of a channelization plan, it was difficult for the US manufacturers to design and put equipment on the market because of the uncertainty as to channel pairings, bandwidths, channel spacings, etc. Had the Harris and DMC petitions been granted in 1991, the United States would likely have become the first supplier of 28 GHz radio-relay equipment in the world. This would have secured the international leadership which is still held today by the US for the procurement of state-of-the-art point-to-point microwave radios in very high frequency bands (in the 18 to 60 GHz range). Several US based companies including Harris-Farinon and Digital Microwave Corporation are presently active in successfully

exporting high value/high technology point-to-point high frequency radio products.

Lately and as a direct consequence of WARC-92, the 28 GHz band has been gathering even more interest in Europe. Indeed, WARC-92 reduced the size of the 23 GHz microwave allocation when it granted the band 21.4-22 GHz for wideband HDTV applications in ITU region 1 (Europe/Africa) and region 3 (Asia/Australasia). Although the effective use of 28 GHz may be limited by the heavy rains situations encountered in certain Asians or African countries, such is not the case in Europe or in North America. In the United States, the 28 GHz is increasingly perceived as a key "traditional" microwave point-to-point band with its central position in the 23 to 38 GHz wide "microwave spectrum desert" and the increasing pressures on the 23 and 38 GHz bands.<sup>2</sup>

At this point, Harris/DMC strongly reiterate the need for a channelization of the 27.5-29.5 GHz band in order to allow for point-to-point microwave use of the band and give the green light to the design of products that have high export potential. A healthy domestic market base would be highly beneficial in ensuring the continued success of US based microwave suppliers in the export markets. Now is the time to capitalize on recent US advances in MMIC and Gas-FET 28 GHz technologies and consolidate our world leading position in high frequency radio-relay systems procurement. Besides and with the increasing reduction of radio-relay spectrum below 10 GHz, a 28 GHz allocation is needed for other private and commercial microwave point-to-point applications in the United States.

<sup>&</sup>lt;sup>2</sup>Due to anticipated congestion, the Commission recently imposed significant limitations on applications for 38 GHz fixed point-to-point microwave systems in PCS networks. See Common Carrier Bureau Established Policy Governing the Assignment of Frequencies in the 38 GHz Band and Other Bands to Be Used in Conjunction with PCS Support Communications, Public Notice, 75 Rad. Req. (P&F) 2d 1341 (1994).

## V. PROPOSAL

Harris/DMC proposes a channel plan for 27.5-29.5 GHz that incorporates a 1 GHz transmit/receive channel spacing. This spacing is adaptable to both a complete 2000 MHz wide microwave point-to-point allocation or to a reduced 28-28.5 GHz/29.0-29.5 GHz one, as proposed in the September 26, 1994 joint Harris/DMC statement to the 28 GHz Negotiated Rulemaking Committee (see Addenda to the September 23, 1994 Report of the LMDS/FSS 28 GHz Band Negotiated Rulemaking Committee). As mentioned in the recent TIA microwave point-to-point Section response to ET Docket No. 94-124 (Amendment o Parts 2 and 15 of the Commission's Rules to Permit Use of Radio Frequencies Above 40 GHz for New Radio Applications), a T/R spacing of about that size is also advisable to minimize duplexer and filter rejection design constraints.

We recommend the use of an underlying grid of 2.5 MHz subchannels in compliance to draft ITU-R Recommendation F.748.<sup>3</sup> This will ease frequency coordination at channel edges and at geographical boundaries in cases where area based, frequency block licensing is applied.

The proposed homogeneous grid pattern is defined by the relation:

$$f_p = 24248+2+2.5p$$
 and  $1301 \le p \le 2099$ 

We proposed that the upper part of the microwave point-to-point allocation be channelized into paired 50 MHz blocks. These blocks would be authorized under the Commission's wide area licensing approach which allows for deployment and operation of several individual links within these blocks, without the cost and time delay of individual licensing and traditional frequency coordination. This is particularly attractive for commercial applications where a multitude of links

<sup>&</sup>lt;sup>3</sup>ITU-R Working Party 9B Draft revision of existing recommendation ITU-R F.748-1 Radio-Frequency Channel Arrangements for Radio-Relay System Operating in the 25, 26 and 28 GHz Bands, Document 9/22-E, 21 November 1994.

may be required by a given operator. For reasons mentioned before, wide area licensees will be required to subchannelize their assigned pair of 50 MHz channels based on the underlying grid of 2.5 MHz subchannels.

We also propose that the lower end of the 28 GHz band microwave point-to-point allocation be channelized into 5, 10, 20, 40, 80 and 120 MHz paired channels for which licenses will be granted on a link per link basis. This is required to accommodate the specific needs of private users and prevent inefficient use of the spectrum by operators that cannot justify the need for a multitude of 28 GHz links. A 1bit/s/Hz minimum bit efficiency requirement would be enforced but, 1T1 systems would be allowed in 5 MHz channels, and 12T1 would be allowed in the 20 MHz ones.

# VI. SHARING WITH OTHER SERVICES IS FEASIBLE

The 2 GHz or the 1 GHz of spectrum that will be allocated for fixed point-to-point microwave systems will also be used for satellites based wideband distribution services. These fixed satellite services or FSS (such as the ones proposed by Hughes and Teledesic) will likely use millions of individual earth stations throughout the US territory.

Users of these earth stations (American consumers) will typically be different from the industrial users of point-to-point microwave systems. These two kinds of users will normally be physically separated by several hundred feet or more. Nevertheless, some special rules are required to ensure long term compatibility between both services. Minimum required antenna directivity must be defined for both satellite and fixed microwave systems. Elevation angle of point-to-point microwave antennas should be kept below 5 degrees. Other simple rules and possible coordination solutions will be discussed and agreed upon once the status of the 28 GHz band will have been

finalized by the Commission. Experience has repeatedly shown that the fixed point-to-point service can share allocations with the FSS.

#### VII. OTHER FCC PROCEEDINGS INVOLVED

As indicated in Section VI just above, the eventual status of the 28 GHz band is a factor that will be relevant to this Petition, i.e., the Commission's decision in CC Docket No 92-297 will likely have a bearing as to specific spectrum that will be available. Also the outcome of FCC's proposed rulemaking action in WT Docket No. 94-148 will have a bearing as well. It is assumed that the channelization finally adopted for the 28 GHz band would be incorporated in the new Part 101 governing terrestrial fixed microwave radio services.

#### VIII. CONCLUSIONS

In conclusion:

- (a) As pointed out in Harris-Farinon's original petition filed on April 19,1991 and reiterated herein above, there is still a need for channelling the 27.5-29.5 GHz band so as to accommodate "traditional" terrestrial fixed microwave;
- (b) Interest in the 28 GHz for terrestrial fixed use is growing, particularly in Europe. Had the Commission granted the Harris petition of 1991, the U.S. would likely have been the first supplier of 28 GHz radio relay equipment.
- (c) Because of reduction of spectrum allocations for radio relay (i.e., terrestrial fixed microwave) below 10 GHz, additional spectrum is needed. Being situated between the "23 GHz" and "38 GHz" bands,

the 27.5-29.5 GHz band is an ideal choice.

(d) The requirements of other services for spectrum in 27.5-29.5 GHz band and the need for sharing the band is recognized, hence the outcome of the Commission's action in Docket No. 92-297 will be relevant to this Petition.

Considering the premises set forth herein above, the Commission is urged to proceed to rulemaking in this matter to adopt the channelling proposed in Appendix 1.

Respectfully submitted,

HARRIS CORPORATION-FARINON DIVISION AND DIGITAL MICROWAVE CORPORATION

By: Leonard R. Raish

Their Attorney

FLETCHER, HEALD & HILDRETH, P.L.C. 1300 North 17th Street 11th Floor Rosslyn, Virginia 22209 (703) 812-0400

Dated: February 9, 1995

#### **APPENDIX**

Parts 2, 21 and 94 of Chapter 1 of Title 47 of the Code of Federal Regulations are amended as follows:

- 1. 47 C.F.R. § 106 is amended by adding the following to column (6) in the allocations block for the band 27.5-29.5 GHz in the Table of Allocations:
  - PRIVATE OPERATIONAL FIXED MICROWAVE (94)
- 2. 47 C.F.R § 21.701 is amended by redesignating Subsections (j), (k), and (l) to (k), (l), and (m), respectively, and by adding a new Subsection (j) to read as follows:
  - (j) <u>27,500-29,500 MHz</u>
  - (1) 120 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)	
27660.0	<b>2866</b> 0.0°	
27780.0	28780.0	
27900.0*	28900.0*	
28020 0*	29020.0*	

<sup>\*</sup>Shared on a first come, first serve basis with channels 1A/1B, 2A/2B, 3A/3B and 4A/4B

(2) 80 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)	
27620.0	28620.0	
27700.0	28700.0	
27780.0	28780.0	
<b>2786</b> 0.0	28860.0	
27940 0*	28940 0*	

<sup>\*</sup>Shared on a first come, first serve basis with channels 1A/1B and 2A/2B

(3) 40 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)	
27600.0	28600.0	
27640.0	28640.0	

27680.0	28680.0
27720.0	28720.0
27760.0	28760.0
27800.0	28800.0
27840.0	28840.0
27880.0*	28880.0*
27920.0*	28920.0*
27960.0*	28960.0*

<sup>\*</sup>Shared on a first come, first serve basis with channels 1A/1B and 2A/2B

## (4) 20 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)
27510.0	28510.0
27530.0	28530.0
27550.0	28550.0
27570.0	28570.0
27590.0	<b>285</b> 90.0
27610.0	<b>28</b> 610.0
27630.0	<b>2863</b> 0.0
27650.0	<b>2865</b> 0.0
27670.0	<b>2867</b> 0.0
27690.0	28690.0
27710.0	28710.0
27730.0	28730.0
27750.0	<b>2875</b> 0.0
27770.0	<b>2877</b> 0.0
27790.0	28790.0
27810.0	<b>288</b> 10.0
27830.0	28830.0
27850.0	28850.0
27870.0	27870.0
27890.0	28890.0

## (5) 10 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)	
27505.0	28505.0	
27515.0	28515.0	
27525.0	28525.0	
27535.0	28535.0	

27545.0	28545.0
27555.0	<b>28555</b> .0
27565.0	<b>28565</b> .0
27575.0	<b>28575</b> .0
27585.0	<b>28585</b> .0
27595.0	<b>28595</b> .0
27605.0	<b>28605</b> .0
27615.0	<b>286</b> 15.0
27625.0	<b>28625</b> .0
27635.0	<b>28635</b> .0
27645.0	<b>28645</b> .0
27655.0	<b>28655</b> .0
27665.0	<b>28665</b> .0
27675.0	<b>28675</b> .0
27685.0	<b>28685</b> .0
27695.0	<b>28695</b> .0
27705.0	<b>28705</b> .0
27715.0	<b>287</b> 15.0
27725.0	<b>28725</b> .0
27735.0	<b>28735</b> .0
27745.0	28745.0
27755.0	28755.0
27765.0	28765.0
27775.0	<b>28775</b> .0

## (6) 5 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)
27502.5	28502.5
27507.5	28507.5
27512.5	28512.5
27517.5	28517.5
27522.5	28522.5
27527.5	28527.5
27532.5	28532.5
27537.5	28537.5
27542.5	28542.5
27547.5	28547.5
27552.5	28552.5
27557.5	28557.5
27562.5	28562.5
27567.5	28567.5
27572.5	28572.5

27577.5	28577.5
	28582.5
27582.5 27587.5	28587.5
27592.5	28592.5
27597.5	28597.5
27602.5	28602.5
27607.5	28607.5
27612.5	28612.5
27617.5	28617.5
27622.5	28622.5
27627.5	28627.5
27632.5	28632.5
27637.5	28637.5
27642.5	28642.5
27647.5	28647.5
27652.5	28652.5
27657.5	28657.5
27662.5	28662.5
27667.5	28667.5
27672.5	28672.5
27677.5	28677.5
27682.5	28682.5
27687.5	<b>28687</b> .5
27692.5	<b>28692</b> .5
27697.5	<b>28697</b> .5
27702.5	28702.5
27707.5	28707.5
27712.5	<b>287</b> 12.5
27717.5	<b>287</b> 17.5
27722.5	<b>28722</b> .5
27727.5	28727.5
27732.5	<b>28732</b> .5
27737.5	<b>28737</b> .5
27742.5	<b>28742</b> .5
27747.5	28747.5
27752.5	28752.5
27757.5	28757.5
27762.5	28762.5
27767.5	28767.5
27772.5	28772.5
27777.5	<b>28777</b> .5

(7) 50 MHz paired frequency blocks subject to wide area licensing procedures, 1000 MHz separation:

Cha	nnel Group A	Cha	nnel Group B
Channel	Frequency band	Channel	Frequency band
No.	limits (MHz)	No.	limits (MHz)
1 <b>A</b>	27900-27950*	1 <b>B</b>	28900-28950*
2A	27950-28000*	2B	28950-29000*
3 <b>A</b>	28000-28050**	3 <b>B</b>	29000-29050**
4 <b>A</b>	28050-28100**	4B	29050-29100**
5 <b>A</b>	28100-28150	5 <b>B</b>	29100-29150
6 <b>A</b>	28150-28200	6 <b>B</b>	29150-29200
7 <b>A</b>	28200-28250	7 <b>B</b>	29200-29250
8A	28250-28300	8B	29250-29300
9 <b>A</b>	28300-28350	9 <b>B</b>	29300-29350
10 <b>A</b>	28350-28400	10 <b>B</b>	29350-29400
11 <b>A</b>	28400-28450	11 <b>B</b>	29400-29450
12 <b>A</b>	28450-28500	1 <b>2B</b>	29450-29500
	:	<del></del>	

<sup>\*</sup>Shared on a first come, first serve basis with the 40, 80, and 120 MHz channels

- 3. The table in 47 C.F.R. § 94.61(b) is amended by adding the band 27,500-29,500 MHz following the entry for "22,200 to 23,600" and by adding note 35 to read as follows:
  - 35. Frequencies in this band are shared with the Fixed Satellite Service (Part 25) and by the Point-to-Point Microwave Service (Part 21).
- 4. 47 C.F.R. § 94.65 is amended by re-designating Subsections (n), (o), (p), (q) and (r) to (p). (q), (r) and (s), respectively, and by adding a new Subsection (n) to read as follows:

## n. 27,500-29,500 MHz

(1) 120 MHz maximum authorized bandwidth channels, 1000 MHz separation:

I ransmit (Receive) (MHz)	Receive (Transmit) (MHz)	
27660.0	<b>2866</b> 0.0	
27780.0	28780.0	
27900.0*	28900.0*	

<sup>\*\*</sup>Shared on a first come, first serve basis with 120 MHz channels

28020.0\* 29020.0\*

\*Shared on a first come, first serve basis with channels 1A/1B, 2A/2B, 3A/3B and 4A/4B (2) 80 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)	
27620.0	28620.0	
27700.0	28700.0	
27780.0	28780.0	
<b>2786</b> 0.0	<b>2886</b> 0.0	
27940 0*	28940.0*	

<sup>\*</sup>Shared on a first come, first serve basis with channels 1A/1B and 2A/2B

## (3) 40 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)	
27600.0	28600.0	
27640.0	<b>2864</b> 0.0	
27680.0	28680.0	
27720.0	28720.0	
27760.0	28760.0	
27800.0	28800.0	
<b>2784</b> 0.0	28840.0	
27880.0*	28880.0*	
27920.0*	28920.0*	
27960.0*	28960.0*	

<sup>\*</sup>Shared on a first come, first serve basis with channels 1A/1B and 2A/2B

## (4) 20 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)	
27510.0	28510.0	
27530.0	28530.0	
27550.0	28550.0	
27570.0	28570.0	
27590.0	28590.0	
27610.0	<b>286</b> 10.0	
27630.0	28630.0	
27650.0	28650.0	

28670.0
28690.0
28710.0
28730.0
28750.0
<b>2877</b> 0.0
28790.0
28810.0
28830.0
28850.0
27870.0
<b>2889</b> 0.0

## (5) 10 MHz maximum authorized bandwidth channels, 1000 MHz separation:

#### Receive (Transmit) (MHz) Transmit (Receive) (MHz) 28505.0 27505.0 28515.0 27515.0 28525.0 27525.0 28535.0 27535.0 28545.0 27545.0 28555.0 27555.0 28565.0 27565.0 28575.0 27575.0 28585.0 27585.0 27595.0 28595.0 28605.0 27605.0 28615.0 27615.0 28625.0 27625.0 27635.0 28635.0 28645.0 27645.0 28655.0 27655.0 28665.0 27665.0 27675.0 28675.0 28685.0 27685.0 28695.0 27695.0 28705.0 27705.0 27715.0 28715.0 28725.0 27725.0 28735.0 27735.0 28745.0 27745.0 27755.0 28755.0 28765.0 27765.0

27775.0 28775.0

## (6) 5 MHz maximum authorized bandwidth channels, 1000 MHz separation:

Transmit (Receive) (MHz)	Receive (Transmit) (MHz)		
27502.5	28502.5		
27507.5	28507.5		
27512.5	28512.5		
27517.5	28517.5		
27522.5	28522.5		
27527.5	28527.5		
27532.5	28532.5		
27537.5	28537.5		
27542.5	28542.5		
27547.5	28547.5		
27552.5	28552.5		
27557.5	28557.5		
27562.5	28562.5		
27567.5	28567.5		
27572.5	28572.5		
27577.5	28577.5		
27582.5	28582.5		
27587.5	28587.5		
27592.5	28592.5		
27597.5	28597.5		
27602.5	28602.5		
27607.5	28607.5		
27612.5	28612.5		
27617.5	28617.5		
27622.5	28622.5		
27627.5	28627.5		
27632.5	28632.5		
27637.5	28637.5		
27642.5	28642.5		
27647.5	28647.5		
27652.5	28652.5		
27657.5	28657.5		
27662.5	28662.5		
27667.5	28667.5		
27672.5	28672.5		
27677.5	28677.5		
27682.5	28682.5		
27687.5	28687.5		

27692.5	28692.5
27697.5	28697.5
27702.5	28702.5
27707.5	28707.5
27712.5	28712.5
27717.5	28717.5
27722.5	28722.5
27727.5	28727.5
27732.5	28732.5
27737.5	28737.5
27742.5	28742.5
27747.5	28747.5
27752.5	28752.5
27757.5	28757.5
27762 5	28762.5
2.,,42.5	
27767.5	28767.5
27772.5	28772.5
27777.5	28777.5

# (7) 50 MHz paired frequency blocks subject to wide area licensing procedures, 1000 MHz separation:

Channel Group A		Channel Group B	
Channel	Frequency band	Channel	Frequency band
No.	limits (MHz)	No.	limits (MHz)
1 <b>A</b>	27900-27950*	1 <b>B</b>	28900-28950*
2 <b>A</b>	27950-28000*	2 <b>B</b>	28950-29000*
3 <b>A</b>	28000-28050**	3 <b>B</b>	29000-29050**
4 <b>A</b>	28050-28100**	4B	29050-29100**
5 <b>A</b>	28100-28150	5 <b>B</b>	29100-29150
6 <b>A</b>	28150-28200	6 <b>B</b>	29150-29200
7 <b>A</b>	2 <b>8200-2825</b> 0	7 <b>B</b>	29200-29250
8 <b>A</b>	28250-28300	8B	29250-29300
9 <b>A</b>	28300-28350	9 <b>B</b>	29300-29350
10 <b>A</b>	28350-28400	10 <b>B</b>	29350-29400
11 <b>A</b>	28400-28450	11 <b>B</b>	29400-29450
12 <b>A</b>	28450-28500	12 <b>B</b>	29450-29500

<sup>\*</sup>Shared on a first come, first serve basis with the 40, 80, and 120 MHz channels

<sup>\*\*</sup>Shared on a first come, first serve basis with 120 MHz channels

## **ATTACHMENT**

Proposed Channelization of the 27.5-29.5 GHz Band
(As Per Appendix: Assuming a 2000 MHz FSS/Microwave Allocation)

स Į, ESE/HICEONING <u>Q</u> 7 K 4 × 120 SX BOME 20 × 20 MH (10 MH, 28.5 OX KOM Zexib 1 50 MH 215 ۲ ۲ Presiden 280 4 × 120 × 14 TO X 20 MHz 28 × 0 MH 56 × 5 MH N N 2.6

\_\_\_\_

#### CERTIFICATE OF SERVICE

I, Chellestine Johnson, a secretary in the law firm of Fletcher, Heald & Hildreth, P.L.C., do hereby certify that copies of the foregoing "Joint Petition for Rulemaking by Harris Corporation-Farinon Division and Digital Microwave Corporation Petition for Rulemaking" were sent this <a href="9th">9th</a> day of February, 1995, by hand delivery and first-class United States mail, postage prepaid, to:

Mr. Thomas Tycz
Deputy Chief, Domestic Facilities
Division
Common Carrier Bureau
Federal Communications Commission
2025 M Street, N.W., Suite 6010
Washington, D.C. 20554

Mr. Robert James
Chief, Domestic Radio Branch
Domestic Facilities Division
Common Carrier Bureau
Federal Communications Commission
2025 M Street, N.W., Suite 6310
Washington, D.C. 20554

Mr. William A. Luther
Assistant Bureau Chief for
International Field Operations Bureau
Federal Communications Commission
1919 M Street, N.W. - Room 734
Washington, D.C. 20554

Susan Magnotti, Esquire
Domestic Radio Branch
Domestic Facilities Division
Common Carrier Bureau - FCC
2025 M Street, N.W., Suite 6310
Washington, D.C. 20554

Geza Dienes Andrew Corporation (ONT-E) 9269 Utica, Suite 125 Rancho Cucamonga, CA 91730 Barry Lambergman, Esquire Motorola, Inc. 1350 I Street, N.W., Suite 400 Washington, D.C. 20005

Meg Charles, Esquire Swidler & Berlin 3000 K Street, N.W. - Suite 300 Washington, D.C. 20007 Mr. David Struba Chief, Spectrum Management NASA Headquarters Code OI Washington, D.C. 20546-0001

Richard Compton Avoca Laboratories, Inc. 330 Siena Drive Ithaca, NY 14850 Wayne A. Whyte, Jr.
Deputy Chief
Communications Systems Branch
Lewis Research Center
21000 Brookpark Road, MS 54-2
Cleveland, OH 44135

Brian D. Oliver
Vice President - Corporate Development
Bell Atlantic Corporation
1310 North Courthouse Road
11th Floor
Arlington, VA 22201

Chandan Banerjee NYNEX Science and Technology 500 Westchester Avenue White Plains, NY 10604

Ronald J. Lepkowski
Constellation Communications, Inc.
10530 Rosehaven Street
Suite 410
Fairfax, Virginia 22030

Willi Bokenkamp, Senior Communications Analyst Office of the President University of California 300 Lakeside Drive Oakland, CA 94612-3550

Robert A. Mazer, Esquire
Nixon Hargrave, Devans & Doyle
One Thomas Circle, N.W., Suite 800
Washington, D.C. 20005

Shant Hovnanian 505 Park Avenue, 21st Floor New York, NY 10022

Douglas G. Lockie
Founder and Executive Vice-President
Endgate Technology Corporation
321 Soquel Way
Sunnyvale, CA 94086

Michael R. Gardner, Esquire
The Law Offices of Michael R.
Gardner, P.C.
1150 Connecticut Avenue, N.W.
Suite 710
Washington, D.C. 20036

Tom W. Davidson, P.C.
Akin, Gump, Strauss, Hauer
& Feld, L.L.P.
1333 New Hampshire Avenue, N.W.
Suite 400
Washington, D.C. 20036

John P. Janka, Esquire Latham & Watkins 1001 Pennsylvania Avenue, N.W. Washington, D.C. 20004

Gene Robinson, P.E.
Senior Fellow
Technical Director, Defense Systems
& Electronics Group
Texas Instruments, Inc.
P.O. Box 405, MS 3443
Lewisville, TX 75067

Congressman Matthew J. Rinaldo President International CellularVision Association 2600 Virginia Avenue, N.W. Suite 508 Washington, D.C. 20037

Raul R. Rodriguez, Esquire Leventhal, Senter & Lerman 2000 K Street, N.W., Suite 600 Washington, D.C. 20006 Jeffrey A. Krauss
Telecommunications and Technology
Policy
17 West Jefferson Street
Suite 106
Rockville, MD 20850

Stephen D. Baruch, Esquire Leventhal, Senter & Lerman 2000 K Street, N.W., Suite 600 Washington, D.C. 20006 Leslie A. Taylor, Esquire Leslie Taylor Associates 6800 Carlynn Court Bethesda, MD 20817-4302

Steve Copold
Director of Technology Resources
UT-Pan American Campus
1201 West University Drive
Edinburg, TX 78539-2999

Eduardo L. Elizondo Division Fellow Martin Marietta Astro Space P.O. Box 800 Princeton, N.J. 08543-0800

Don Franco President, Video/Phone Systems, Inc. 1266 Main Street Stamford, CT 06902

Mr. Charles S. Brand President mm-Tech, Inc. 246 Industrial Way West Eatontown, N.J. 07724

Walter H. Sonnenfeldt, Esquire Walter Sonnenfeldt & Assocaites 4904 Ertter Drive Rockville, MD 20852

Edward F. Miller Teledesic Corporation 1150 Connecticut Avenue, N.W. Fourth Floor Washington, D.C. 20036 Larrie Sutliff
Director, Radio Spectrum Management
Bellcore
290 West Mount Pleasant Avenue
Room 2B230
Livingston, NJ 07039

Gerald Helman
Vice-President
Policy and International Programs
Mobile Communications Holdings, Inc.
1120 - 19th Street, N.W., Suite 480
Washington, D.C. 20036

Chellestine Johnson